

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L18	81	L17 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 14:28
L17	209	L16 and server adj4 initiat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 14:28
L16	874	server near6 client near6 negotiat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 14:28
L15	68	L14 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 14:28
L14	137	L13 and server adj4 initiat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 14:28
L11	85	L10 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 14:14
L13	571	server with handshak\$3 near6 client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 14:12
L12	46	L11 and (send\$3 or transmi\$6) near6 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 14:12

## EAST Search History

L10	317	server adj4 initiat\$5 adj5 (connection or communication) adj6 (client or device or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 14:12
L9	269	L8 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 12:44
L8	838	server adj4 initiat\$5 near6 (connection or communication) near6 (client or device or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 12:44
L7	37	L6 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 12:44
L6	145	server adj4 initiat\$5 near6 (connection or communication) near6 (client or device or computer) near7 request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 12:44
S15 9	28	S158 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 11:20
L5	132	L4 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 10:58
L4	369	server near6 (send\$3 or transmi\$6) near6 port near4 (ID or number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 10:58

## EAST Search History

L3	58	L2 and server near6 request\$3 near6 client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 10:58
L2	376	L1 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 10:58
S15 7	145	server adj4 initiat\$5 near6 (connection or communication) near6 (client or device or computer) near7 request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 10:33
L1	554	709/237.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 10:33
S15 0	75	S149 and (IP or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 10:31
S15 8	116	S157 and (IP or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:44
S15 6	154	S155 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:44
S15 5	349	S154 and (IP or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:44

## EAST Search History

S15 4	435	server adj4 initiat\$5 near6 (connection or communication) near7 request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:41
S15 3	244	S152 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:40
S15 2	621	S151 and (IP or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:39
S15 1	773	server near4 initiat\$5 near6 (connection or communication) near7 request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:39
S14 9	96	S148 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:39
S14 8	278	server near4 initiat\$5 near6 (connection or communication) near7 request\$3 near6 (client or computer or node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:39
S14 6	92	S145 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:32
S14 7	885	server near4 initiat\$5 near6 (connection or communication) with request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:31
S14 5	253	agent near6 establish\$5 near6 (communication or connection) and S135	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/07/07 15:52

## EAST Search History

S14 4	5	S143 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:52
S14 3	15	S135 and S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:52
S14 2	13	S141 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:52
S14 0	156	agent near6 establish\$5 near6 (communication or connection) near6 device	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/07/07 15:52
S13 5	1000	(proxy or agent) near6 initiat\$5 near6 (communication or connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:52
S13 7	248	S136 and device same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:42
S13 9	14	S138 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 14:45
S14 1	34	S140 and agent near5 initiat\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/07/07 14:44
S13 8	18	agent near5 module near6 establish\$5 near6 (communication or connection) near6 device	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/07/07 14:43

## EAST Search History

S13 6	391	S135 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 14:42
S13 2	5	agent near5 module near6 request\$3 near5 signal near6 server	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/07/07 14:42
S13 1	167	S130 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 14:14
S13 4	22	S133 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 14:09
S13 3	59	(proxy or agent or intermediate) near6 transmi\$7 near6 (communication or connection) near4 request\$4 near4 (signal or message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/07/07 14:09
S98	23	S95 and agent near6 (ID or identifier or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 14:08
S65	57	(paul near3 kang).xa.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/07/07 14:03
S13 0	391	S129 same request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 17:01
S12 9	996	(proxy or agent) near6 initiat\$5 near6 (communication or connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 17:01

## EAST Search History

S12 7	112	(proxy or agent) near6 initiat\$5 near6 (transmission or transfer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 17:01
S11 3	4280	S112 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 17:01
S12 8	47	S127 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 16:36
S12 2	426	S121 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 16:35
S12 1	1072	(proxy or agent) near6 initiat\$5 near6 (transmission or transfer\$4 or connection or communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 16:35
S12 6	18	agent near4 module near7 initiat\$3 near6 (communication or connection or transfer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 16:07
S11 1	2	agent near4 module near7 initiat\$3 near6 transmi\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 16:07
S12 5	36	S124 and initiat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 15:36

## EAST Search History

S12 4	45	(US-20020095503-\$ or US-20020116446-\$ or US-20020161718-\$ or US-20020046268-\$ or US-20020099851-\$ or US-20030191737-\$).did. or (US-6138162-\$ or US-6532543-\$ or US-6615091-\$ or US-6874088-\$ or US-6370576-\$ or US-6125390-\$ or US-6049821-\$ or US-6253234-\$ or US-6397259-\$ or US-6757733-\$ or US-6894981-\$ or US-6590588-\$ or US-6779024-\$ or US-6393475-\$ or US-6542992-\$ or US-6205330-\$ or US-5459780-\$ or US-6738362-\$ or US-6870848-\$ or US-6636596-\$ or US-6625141-\$ or US-6707797-\$ or US-6829638-\$ or US-6094678-\$ or US-6098106-\$ or US-6275939-\$). did. or (US-5586260-\$ or US-6609154-\$ or US-6463474-\$ or US-6292904-\$ or US-6697806-\$ or US-6735619-\$ or US-6523696-\$ or US-6288716-\$ or US-6779004-\$ or US-6741691-\$ or US-6018770-\$ or US-6918038-\$).did. or (EP-1231755-\$).did.	US-PGPUB; USPAT; EPO	OR	ON	2006/07/05 15:31
S12 3	372	S122 and request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 15:07
S11 9	4	S118 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 15:07
S12 0	12	(client or terminal) near6 verif\$6 near6 (connection or communication) near6 (agent or proxy) and (proxy or agent) near7 initiat\$5 near6 (connection or communication)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/07/05 15:06
S43	19	(client or terminal) near6 verif\$6 near6 (connection or communication) near6 (agent or proxy)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/07/05 14:43



## EAST Search History

S11 7	24	S116 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 14:06
S11 8	16	(proxy or agent or intermediate) near6 initiat\$5 near6 (communication or connection) near4 request\$4 near4 (signal or message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/07/05 14:05
S10 6	47	(proxy or agent or intermediate) near6 transmi\$7 near6 (communication or connection) near4 request\$4 near4 (signal or message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/07/05 14:05
S11 6	70	(proxy or agent or intermediate) near6 transmi\$7 near6 (communication or connection) with initiat\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/07/05 13:05
S11 5	22	S114 and (@AD < "20010208" or @PRAD < "20010208")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 13:05
S11 4	59	(proxy or agent or intermediate) near6 transmi\$7 near6 (communication or connection) near4 request\$4 near4 (signal or message)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/07/05 13:05
S11 2	6394	agent near7 initiat\$3 near6 (transmi\$6 or transfer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 13:02